Index to Volume 37, 1980

A

Accident distribution, pattern in telecommunications industry, 175

ADAMS R G *see* BLAINEY J D *et al*

Adenocarcinoma, nose and paranasal sinuses shoemakers and woodworkers, Florence (1963-77), 222

AHLGREN L, HAEGER-ARONSEN B, MATTSSON S, and SCHÜTZ A: In-vivo determination of lead in the skeleton after occupational exposure to lead, 109

ÅKESSON B, HÖGSTEDT B, and SKERFVING S: Fever induced by fluorine-containing lubricant on stainless steel tubes, 307

ALBERT R E *see* LIPPMANN M *et al*

ALDERSON M R and RATTAN N S: Mortality of workers on an isopropyl alcohol plant and two MEK dewaxing plants, 85

Aluminium silicate, artificial (cat litter), pulmonary disease from occupational exposure to, 367

AMINF E K *see* NOWEIR M H *et al*

δ-Aminolaevulinic acid, effects of urinary volume on urinary concentrations, 50

ANDERSEN A *see* LANGÅRD S *et al*

Angiosarcoma of the liver, annual occurrence and aetiology, Great Britain, 213

ANTHONY P P *see* BAXTER P J *et al*

ARAKI S: Effects of urinary volume on urinary concentrations of lead, δ-aminolaevulinic acid, coproporphyrin, creatinine and total solutes, 50

ARONSEN B HAEGER- *see* HAEGER-ARONSEN B

Artificial leather factory, N-N-dimethylformamide concentration in environmental and alveolar air, 185

ARUL K J and HOLT P F: Clearance of asbestos bodies from the lung: a personal view, 273

Asbestos bodies, clearance from lung, personal view, 273

——— cement dust, nature, structure and properties, 33

——— ——— effect of smoking on attack rates of pulmonary and pleural lesions related to exposure to, 268

——— fibres, coated and uncoated, concentrations and dimensions in human lung, 25

——— workers, radiological findings as predictors of mortality, 257

——— *see also* Chrysotile

ASHBY J A S: A neurological and biochemical study of early lead poisoning, 133

Atherosclerosis, experimental, influence of chronic carbon disulphide intoxication on development, 387

Atopy and exposure to cotton dust, interaction in bronchoconstrictor response, 141

ATTFIELD M D *see* LOVE R G *et al*

AXELSSON G, RYLANDER R, and SCHMIDT A: Mortality and incidence of tumours among ferrochromium workers, 121

B

BAETEN J, HELSEN J, and DERUYTTERE A: Nature, structure and properties of asbestos cement dust, 33

BAILLIF P *see* JAURAND M C *et al*

BAXTER P J ANTHONY P P, MACSWEEN R N M, and SCHEUER P J: Angiosarcoma of the liver: annual occurrence and aetiology in Great Britain, 213

BERGEROVA V FISEROVA- *see* FISEROVA-BERGEROVA V

Behavioural effects, acute, of styrene on factory workers, 234

BEVAN C *see* GLOVER J R *et al*

BIGNON J *see* JAURAND M C *et al*

BLAINEY J D, ADAMS R G, BREWER D B, and HARVEY T C: Cadmium-induced osteomalacia, 278

Blood, peripheral, lead-203 distribution in, 78

BODIN L *see* HOGSTEDT C *et al*

Body-monitoring system, simple, use in a pilot study on workers exposed to unsealed gamma-ray emitting material, 189

Book reviews:

ASTMS policy document: The prevention of occupational cancer, 1979, 407

BUTLER J D: Air pollution chemistry 1979, 200

CHEMICAL INDUSTRIES ASSOCIATION: Cancer in modern mortality, 1980, 407

CHEMICAL INDUSTRIES ASSOCIATION: Chemicals, work and cancer, 1980, 407

FRASER R G and PARÉ J A P: Diagnosis of diseases of the chest Vol III 2nd ed, 1979, 91

Shift work and health: a critical review of the literature 1978, 92

HMSO: Asbestos. Final report of the Advisory Committee 1979, 198

KIPLING M: A brief history of HM Medical Inspectorate 1979, 200

POULTON E C: The environment at work 1979, 91

Review of radiation protection of the patient—Part 1 Diagnostic radiology, 1979, 407

ROYAL SOCIETY: Long-term hazards from environmental chemicals 1979, 200

SLOAN A W: Man in extreme environments, 407

WHO: Environmental Health Criteria 1979, 91

BREWER D B *see* BLAINEY J D *et al*

Bronchial provocation tests, occupational type, testing with soluble antigens by inhalation, 248

BRUGNONE F, PERBELLINI L, and GAFFURI E: N-N-Dimethylformamide concentration in environmental and alveolar air in an artificial leather factory, 185

BUIATTI E *see* CECCHI F *et al*

BURGE P S *see* HARRIES M G *at el*

BUTCHER B T *see* JONES R N *et al*

C

Cadmium-induced osteomalacia, 278

Calcium and lead, interaction in human erythrocytes, 70

Cancer, incidence, among ferrochromium and ferrosilicon workers, 114

——— ——— and mortality among ferrochromium workers, 121
Carbon disulphide, chronic intoxication, influence on development of experimental atherosclerosis, rats, 387
Carboxyhaemoglobin levels in workers in Leicestershire garages: notes and miscellanea, 197
Carcinogenicity of ethylene dibromide, exposure in two production units, 163
——— procedures for screening chemicals for, 1
CASSADY J C *see* FISEROVA-BERGEROVA V *et al*
Cat litter, pulmonary disease from occupational exposure to an artificial aluminium silicate used for, 367
CECCHI F, BUIATTI E, KRIEBEL D, NASTASI L, and SANTUCCI M: Adenocarcinoma of the nose and paranasal sinuses in shoemakers and woodworkers in the province of Florence, Italy (1963-77), 222
Chemicals, screening for carcinogenicity, procedures, 1
CHERRY N, WALDRON H A, WELLS G G, WILKINSON R T, WILSON H K, and JONES S: An investigation of the acute behavioural effects of styrene on factory workers, 234
CHIVERS C P, LAWRENCE-JONES C, and PADDLE G M: Lung function in workers exposed to polyvinyl chloride dust, 147
Chromium, biological half-times, mathematical modelling for assessing, 285
Chrysotile fibres, chemical and photoelectron spectrometry analysis of the adsorption of phospholipid model membranes and red cell membranes on to, 169
Chrysotile mining, 1910-75, dust exposure and mining in, 11
Coal-miners and foundry workers, Staveley, Derbyshire, 20-year follow-up, men aged 55-64, 226; men aged 25-34, 230
COCHRANE A L and MOORE F: A 20-year follow-up of men aged 55-64 including coal-miners and foundry workers in Staveley, Derbyshire, 226
——— ———: A 20-year follow-up of a population sample (aged 25-34) including coal-miners and foundry workers in Staveley, Derbyshire, 230
Coproporphyrin effects of urinary volume on urinary concentration, 50
COTES J E *see* GLOVER J R *et al*
Cotton dust, exposure, and atopy, interaction in the bronchoconstrictor response, 141
CRAWFORD S M and MILES D W: *Leptospira hebdomadis* associated with an outbreak of illness in workers on a farm in North Yorkshire, 397
Creatinine, effects of urinary volume on urinary concentration, 50

D

DATHAN J G *see* KHERA A K *et al*
DAVIS P R and SHEPPARD N J: Pattern of accident distribution in the telecommunications industry, 175
DERUYTTERE A *see* BAETEN J *et al*
DIEM J E *see* JONES R N *et al*
N-N-Dimethylformamide concentration in environmental and alveolar air in an artificial leather factory, 185
DOBECKI M *see* KRAJEWSKI J *et al*
Dust exposure and mortality in chrysotile mining, 1910-75, 11
——— sampler, personal, simulating variable human lung function, 194
——— *see* Cotton, Polyvinyl, Slate
Dynamite workers, 48-hour ambulatory electrocardiography in, and in controls, 299

E

EDMONDS N R V *see* HODGSON E S *et al*
EDWARDS J H: Microbial and immunological investigations and remedial action after an outbreak of humidifier fever, 55
ELWOOD P C *see* GLOVER J R *et al*
Epoxides as human health problems, 317
Erythrocytes, human, interaction of calcium and lead in, 70
Ethanol consumption, effect on hepatic metabolism of aromatic and chlorinated hydrocarbons, rats, 382
Ethylene dibromide, mortality of employees exposed to in two production units, 163
Explosives workers, 48-hour ambulatory electrocardiography in, and in controls, 299
EYSSEN G E *see* MCDONALD J C *et al*

F

Factory workers, acute behavioural effects of styrene on, 234
Ferrochromium and ferrosilicon workers, incidence of cancer, 114
——— incidence of tumours and mortality, 121
Fetal haemoglobin, high affinity of lead for, 292
Fever induced by fluorine-containing lubricant on stainless steel tubes, 307
FISEROVA-BERGEROVA V, VLACH J, and CASSADY J C: Predictable "individual differences" in uptake and excretion of gases and lipid soluble vapours simulation study, 42
Fluorine-containing lubricant on stainless steel tubes inducing fever, 307
Foundry workers and coal-miners, Staveley, Derbyshire, 20-year follow-up, men aged 55-64, 226; men aged 25-34, 230
Fuel oil ash, vanadium compounds in, changes in lung function after exposure, 253

G

GAFFURI E *see* BRUGNONE F *et al*
Gamma-ray emitting material, unsealed, use of a simple body-monitoring system in a pilot study, 189
Garage workers, carboxyhaemoglobin levels, Leicestershire, 197
Gases and lipid soluble vapours, predictable "individual differences" in uptake and excretion of, 42
GIBBS G W *see* MCDONALD J C *et al*
GLINDMEYER H W *see* JONES R N *et al*
GLOVER J R, BEVAN C, COTES J E, ELWOOD P C, HODGES N G, KELL R L, LOWE C R, MCDERMOTT M, and

OLDHAM P D: Effects of exposure to slate dust in North Wales, 152
GREVILLE H W *see* MUSK A W *et al*
GROMIEC J *see* KRAJEWSKI J *et al*
GYLSETH B *see* LANGÅRD S *et al*
OPHUS E M *et al*

H

HAEGER-ARONSEN B *see* AHLGREN L *et al*
Haemoglobin, fetal, high affinity of lead for, 292
HAKAMA M *see* VINNI K and HAKAMA M
HAMMAD Y Y *see* JONES R N *et al*
HARRIES M G, BURGE P S, and O'BRIEN I M: Occupational type bronchial provocation tests: testing with soluble antigens by inhalation, 248
HARVEY T C *see* BLAINEY J D *et al*
Healthy worker effect in the total Finnish population, 180
HELSEN J *see* BAETEN J *et al*
n-Hexane, n-pentane, and n-heptane, neurotoxicity, comparative study, rat, 241
HISANAGA N *see* TAKEUCHI Y *et al*
HODGES N G *see* GLOVER J R *et al*
HODGSON E S, KAPLAN Y S, and EDMONDS N R V: Unusual presentation of Osgood-Schlatter's disease: notes and miscellanea, 90
HÖGSTEDT B *see* ÅKESSON B *et al*
HOGSTEDT C, SÖDERHOLM B, and BODIN L: 48-hour ambulatory electrocardiography in dynamite workers and controls, 299
HOLMES A *see* MORGAN A and HOLMES A
HOLT P F *see* ARUL K J and HOLT P F
HUGHES J M *see* JONES R N *et al*
Humidifier fever (Monday sickness), microbial and immunological investigations and remedial action after an outbreak, 55
Hydrocarbons, aromatic and chlorinated, effect of chronic ethanol consumption on hepatic metabolism, 382

I

Information section, MEDLARS, 93, 201, 310, 407
Inhaled particles, deposition, retention, and clearance, 337
ISLES K D *see* LOVE R G *et al*
Isopropyl alcohol plant and MEK dewaxing plants, mortality of workers, 85

J

JAURAND M C, THOMASSIN J H, BAILLIF P, MAGNE L, TOURAY J C, and BIGNON J: Chemical and photoelectron spectrometry analysis of the adsorption of phospholipid model membranes and red blood cell membranes on to chrysotile fibres, 169
JONES A: Effects of exposure to slate dust in North Wales: notes and miscellanea, 405
JONES C LAWRENCE- *see* LAWRENCE-JONES C
JONES R N, BUTCHER B T, HAMMAD Y Y, DIEM J E, GLINDMEYER H W, LEHRER S B, HUGHES J M, and WEILL H: Interaction of atopy and exposure to cotton dust in the bronchoconstrictor response, 141
JONES S *see* CHERRY N *et al*

K

KAPLAN Y S *see* HODGSON E S *et al*
KELL R L *see* GLOVER J R *et al*
KELMAN G R: Carboxyhaemoglobin levels in workers in Leicestershire garages: notes and miscellanea, 197
KHERA A K, WIBBERLEY D G, and DATHAN J G: Placental and stillbirth tissue lead concentrations in occupationally exposed women, 394
Kidney damage, effect on mobilisation of mercury by thiol-complexing agents, 128
KITOH J *see* TAKEUCHI Y *et al*
KIVILUOTO M: Observations on the lung of vanadium workers, 363
KOYAMA Y *see* SATO A *et al*
KRAJEWSKI J, DOBECKI M, and GROMIEC J: Retention of vinyl chloride in the human lung, 373
KRIEBEL D *see* CECCHI F *et al*
KUCHARSKI R: A personal dust sampler simulating variable human lung function, 194

L

LANGÅRD S, ANDERSEN A, and GYLSETH B: Incidence of cancer among ferrochromium and ferrosilicon workers, 114
LANGNER R R *see* OTT M G *et al*
LAWRENCE-JONES C *see* CHIVERS C P *et al*
Lead and calcium, interaction in human erythrocytes, 70
——— concentrations, placental and stillbirth tissue, occupationally exposed women, 394
———-203, distribution in human peripheral blood in vitro, 78
——— effects of urinary volume on urinary concentration, 50
——— high affinity for fetal haemoglobin, 292
——— in-vivo determination in skeleton after occupational exposure, 109
——— poisoning, early, neurological and biochemical study, 133
Leather, *see* Artificial leather factory
LEE W R *see* ONG C N and LEE W R
LEES R E M: Changes in lung function after exposure to vanadium compounds in fuel oil ash, 253
LEHRER S B *see* JONES R N *et al*
Leptospira hebdomadis associated with an outbreak of illness on a farm, North Yorkshire, 397
LIDDELL F D K and MCDONALD J C: Radiological findings as predictors of mortality in Quebec asbestos workers, 257
——— *see also* MCDONALD J C *et al*
Lipid soluble vapours and gases, predictable "individual differences" in uptake and excretion of, 42
LIPPMANN M, YEATES D B, and ALBERT R E: Deposition, retention, and clearance of inhaled particles, 337
Liver, angiosarcoma, annual occurrence and aetiology, Great Britain, 213
——— metabolism of aromatic and chlorinated hydrocarbons, effect of chronic ethanol consumption, 382

LOVE R G, ATTFIELD M D, and ISLES K D: Reproducibility of pulmonary function tests under laboratory and field conditions, 63
LOWE C R *see* GLOVER J R *et al*
Lubricant, fluorine-containing, on stainless steel tubes inducing fever, 307
Lung, concentrations and dimensions of coated and uncoated asbestos fibres in, 25
——— examinations in vanadium workers, 363
——— function, changes after exposure to vanadium compounds in fuel oil ash, 253
——— ——— variable, personal dust sampler simulating, 194
——— ——— in workers exposed to polyvinyl chloride dust, 147
——— retention of vinyl chloride in, 373
——— *see also* Pulmonary

M

MCDERMOTT M *see* GLOVER J R *et al*
MCDONALD A D *see* MCDONALD J C *et al*
MCDONALD J C, LIDDELL F D K, GIBBS G W, EYSSEN G E, and MCDONALD A D: Dust exposure and mortality in chrysotile mining 1910-75, 11
——— *see also* LIDDELL F D K and MCDONALD J C
MCMILLAN G H G, PETHYBRIDGE R J, and SHEERS G: Effect of smoking on attack rates of pulmonary and pleural lesions related to exposure to asbestos dust, 268
MACSWEEN R N M *see* BAXTER P J *et al*
MAGNE L *see* JAURAND M C *et al*
MAGOS L *see* TANDON S K and MAGOS L
MANSON M M: Epoxides—is there a human health problem? 317
MATTSSON S *see* AHLGREN L *et al*
MEDLARS Information section, 93, 201, 310, 407
MEK dewaxing plants and isopropyl alcohol plant, mortality of workers, 85
Mercury, mobilisation by thiol-complexing agents, effect of kidney damage, 128
Mesothelioma, pleural, SEM and *x*-ray microanalysis of mineral deposits in lungs, 375
MILES D W *see* CRAWFORD S M and MILES D W
Mineral deposits in lungs in mesothelioma, SEM and *x*-ray microanalysis, 375
Mining, chrysotile, 1910-75, dust exposure and mortality in, 11
Monday sickness, *see* Humidifier fever
MOORE F *see* COCHRANE A L and MOORE F
MORGAN A and HOLMES A: Concentrations and dimensions of coated and uncoated asbestos fibres in the human lung, 25
Mortality of chrysotile miners, 1910-75, 11
——— in employees exposed to ethylene dibromide in two production units, 163
——— and "healthy worker effect" in total Finnish population, 180
——— and incidence of tumours among ferrochromium workers, 121
——— in Quebec asbestos workers, radiological findings as predictors, 257
——— of workers on an isopropyl alcohol plant and MEK dewaxing plants, 85
MOSELHI M *see* NOWEIR M H *et al*
MOWÉ G *see* OPHUS E M *et al*
MUSK A W, GREVILLE H W, and TRIBE A E: Pulmonary disease from occupational exposure to an artificial aluminium silicate used for cat litter, 367
MUTANEN P *see* TOSSAVAINEN A *et al*

N

NAKAJIMA T *see* SATO A *et al*
NASTASI L *see* CECCHI F *et al*
Neurotoxicity of n-pentane, n-hexane, and n-heptane, comparative study, rat, 241
Nickel, biological half-times, mathematical modelling for assessing, 285
NOFER, T WROŃSKA- *see* WROŃSKA-NOFER T
Nose and parasinuses, adenocarcinoma, shoemakers and woodworkers, Florence (1963-77), 222
Notes and miscellanea: Carboxyhaemoglobin levels in workers in Leicestershire garages, 197
——— ——— ———: Unusual presentation of Osgood-Schlatter's disease, 90
NOWEIR M H, MOSELHI M, and AMINE E K: Role of family susceptibility, occupational and the family histories and individuals' blood groups in the development of silicosis, 399
NURMINEN M *see* TOSSAVAINEN A *et al*

O

OBREBSKA-PARKE M *see* WROŃSKA-NOFER T *et al*
O'BRIEN I M *see* HARRIES M G *et al*
OLDHAM P D *see* GLOVER J R *et al*
ONG C N and LEE W R: Distribution of lead-203 in human peripheral blood in vitro, 78
——— ——— High affinity of lead for fetal haemoglobin, 292
——— ——— Interaction of calcium and lead in human erythrocytes, 70
ONO Y *see* TAKEUCHI Y *et al*
OPHUS E M, MOWÉ G, OSEN K K, and GYLSETH B: Scanning electron microscopy and *x*-ray microanalysis of mineral deposits in lungs of a patient with pleural mesothelioma, 375
OSEN K K *see* OPHUS E M *et al*
Osgood-Schlatter's unusual presentation: notes and miscellanea, 90
Osteomalacia, cadmium-induced, 278
OTT M G, SCHARNWEBER H C, and LANGNER R R: Mortality experience of 161 employees exposed to ethylene dibromide in two production units, 163

P

PADDLE G M *see* CHIVERS C P *et al*
Paranasal sinuses and nose, adenocarcinoma, shoemakers and woodworkers, Florence (1963-77), 222
PARKE M OBREBSKA- *see* OBREBSKA-PARKE M
n-Pentane, n-hexane, and n-heptane, neurotoxicity, comparative study, rat, 241
PERBELLINI L *see* BRUGNONE F *et al*
Personal dust sampler simulating variable human lung function, 194

PETHYBRIDGE R J *see* MCMILLAN G H G *et al*
Placental and stillbirth tissue lead concentrations in occupationally exposed women, 394
Polyvinyl chloride dust, lung function in workers exposed to, 147
Pulmonary disease from exposure to artificial aluminium silicate used for cat litter, 367
——— function tests, reproducibility under laboratory and field conditions, 63
——— *see also* Lung
PURCHASE I F H: Procedures for screening chemicals for carcinogenicity, 1

R

Radiological findings as predictors of mortality in Quebec asbestos workers, 257
RATTAN N S *see* ALDERSON M R and RATTAN N S
Rene Barthe Prize 1981, 200
RYLANDER R *see* AXELSSON G *et al*

S

SANTUCCI M *see* CECCHI F *et al*
SATO A, NAKAJIMA T, and KOYAMA Y: Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats, 382
SCHARNWEBER H C *see* OTT M G *et al*
SCHEUER P J *see* BAXTER P J *et al*
SCHMIDT A *see* AXELSSON G *et al*
SCHÜTZ A *see* AHLGREN L *et al*
SHEERS G *see* MCMILLAN G H G *et al*
SHEPPARD N J *see* DAVIS P R and SHEPPARD N J
Shoemakers and woodworkers, adenocarcinoma, nose and paranasal sinuses, Florence (1963-77), 222
Silicosis, role of family susceptibility, occupational and family histories and individuals' blood groups on development, 399
SKERFVING S *see* ÅKESSON B *et al*
Slate dust, effects of exposure, North Wales, 152: notes and miscellanea, 405
Smoking effect on attack rates of pulmonary and pleural lesions related to asbestos dust, 268
SÖDERHOLM B *see* HOGSTEDT C *et al*
Stillbirth and placental tissue lead concentrations in occupationally exposed women, 394
Styrene, acute behavioural effects, factory workers, 234
SUGIURA Y *see* TAKEUCHI Y *et al*
SUMERLING T: Use of a simple body-monitoring system in a pilot study on workers exposed to unsealed gamma-ray emitting material, 189
Suzette Gauvain Memorial, 408
SZENDZIKOWSKI S *see* WROŃSKA-NOFER T *et al*

T

TAKEUCHI Y, ONO Y, HISANAGA N, KITOH J, and SUGIURA Y: A comparative study on the neurotoxicity of n-pentane, n-hexane, and n-heptane in the rat, 241
TANDON S K and MAGOS L: Effect of kidney damage on the mobilisation of mercury by thiol-complexing agents, 128
Telecommunications industry, pattern of accident distribution, 175
Thiol-complexing agents, effect of kidney damage on the mobilisation of mercury by, 128
THOMASSIN J H *see* JAURAND M C *et al*
TOLA S *see* TOSSAVAINEN A *et al*
TOSSAVAINEN A, NURMINEN M, MUTANEN P, and TOLA S: Application of mathematical modelling for assessing the biological half-times of chromium and nickel in field studies, 285
TOURAY J C *see* JAURAND M C *et al*
TRIBE A E *see* MUSK A W *et al*
Tumours, *see* Cancer: Carcinogenicity

U

Urinary volume, effects on urinary concentrations of lead, δ-aminolaevulinic acid, coproporphyrin, creatinine, and total solutes, 50

V

Vanadium compounds in fuel oil ash, changes in lung function after exposure to, 253
——— workers, lung examinations, 363
VINNI K and HAKAMA M: Healthy worker effect in the total Finnish population, 180
Vinyl chloride, retention in the lung, 373
VLACH J *see* FISEROVA-BERGEROVA V *et al*

W

WAITE C L: Carboxyhaemoglobin levels in workers in Leicestershire garages: notes and miscellanea, 197
WALDRON H A *see* CHERRY N *et al*
WEILL H *see* JONES R N *et al*
WELLS G G *see* CHERRY N *et al*
WIBBERLEY D G *see* KHERA A K *et al*
WILKINSON R T *see* CHERRY N *et al*
WILSON H K *see* CHERRY N *et al*
Woodworkers and shoemakers, adenocarcinoma, nose and paranasal sinuses, Florence (1963-77), 222
WROŃSKA-NOFER T, SZENDZIKOWSKI S, and OBREBSKA-PARKE M: Influence of chronic carbon disulphide intoxication on the development of experimental atherosclerosis in rats, 387

Y

YEATES D B *see* LIPPMANN M *et al*

British Journal of
Industrial Medicine

Volume 37, 1980

EDITOR H A Waldron

ASSISTANT EDITORS M A Cooke G L Leathart L Magos

EDITORS, INFORMATION SECTION J S Gardiner C Lawrence-Jones

EDITORIAL COMMITTEE

J A Bonnell
J E Cotes
Joan M Davies
K P Duncan
G Kazantzis
W R Lee
R I McCallum
D Malcolm
C White
Editor,
British Medical Journal

TECHNICAL EDITOR Elizabeth Bond

BRITISH MEDICAL ASSOCIATION TAVISTOCK SQUARE LONDON WC1

Contents

No 1 *FEBRUARY 1980* PAGE

Procedures for screening chemicals for carcinogenicity
I F H Purchase 1

Dust exposure and mortality in chrysotile mining, 1910-75
J C McDonald, F D K Liddell, G W Gibbs, G E Eyssen, and A D McDonald 11

Concentrations and dimensions of coated and uncoated asbestos fibres in the human lung
A Morgan and A Holmes 25

Nature, structure, and properties of asbestos cement dust
J Baeten, J Helsen, A Deruyttere 33

Predictable "individual differences" in uptake and excretion of gases and lipid soluble vapours simulation study
Vera Fiserova-Bergerova, Jiri Vlach, and Janet C Cassady 42

Effects of urinary volume on urinary concentrations of lead, delta-aminolaevulinic acid, coproporphyrin, creatinine, and total solutes
S Araki 50

Microbial and immunological investigations and remedial action after an outbreak of humidifier fever
J H Edwards 55

Reproducibility of pulmonary function tests under laboratory and field conditions
R G Love, M D Attfield, and K D Isles 63

Interaction of calcium and lead in human erythrocytes
C N Ong and W R Lee 70

Distribution of lead-203 in human peripheral blood in vitro
C N Ong and W R Lee 78

Mortality of workers on an isopropyl alcohol plant and two MEK dewaxing plants
M R Alderson and N S Rattan 85

Notes and miscellanea

Unusual presentation of Osgood-Schlatter's disease
E S Hodgson, Y S Kaplan, and N R V Edmonds 90

Book reviews 91

Information section 93

No 2 *MAY 1980*

In-vivo determination of lead in the skeleton after occupational exposure to lead
L Ahlgren, Birgitta Haeger-Aronsen, S Mattsson, and A Schütz 109

Incidence of cancer among ferrochromium and ferrosilicon workers
S Langård, Aa Andersen, and B Gylseth 114

Mortality and incidence of tumours among ferrochromium workers
G Axelsson, R Rylander, and A Schmidt 121

Effect of kidney damage on the mobilisation of mercury by thiol-complexing agents
S K Tandon and L Magos 128

A neurological and biochemical study of early lead poisoning
Judith A S Ashby 133

Interaction of atopy and exposure to cotton dust in the bronchoconstrictor response
R N Jones, B T Butcher, Y Y Hammad, J E Diem, H W Glindmeyer, III, S B Lehrer, J M Hughes, and H Weill 141

Lung function in workers exposed to polyvinyl chloride dust
C P Chivers, C Lawrence-Jones, and G M Paddle 147

Effects of exposure to slate dust in North Wales
J R Glover, Carol Bevan, J E Cotes, P C Elwood, N G Hodges, R L Kell, C R Lowe, Margery McDermott, and P D Oldham 152

Mortality experience of 161 employees exposed to ethylene dibromide in two production units
M G Ott, H C Scharnweber, and R R Langner 163

Chemical and photoelectron spectrometry analysis of the adsorption of phospholipid model membranes and red blood cell membranes on to chrysotile fibres
M C Jaurand, J H Thomassin, P Baillif, L Magne, J C Touray, and J Bignon 169

Contents

Pattern of accident distribution in the telecommunications industry
P R Davis and N J Sheppard 175
Healthy worker effect in the total Finnish population
K Vinni and M Hakama 180
N-N-Dimethylformamide concentration in environmental and alveolar air in an artificial leather factory
F Brugnone, L Perbellini, and E Gaffuri 185
Use of a simple body-monitoring system in a pilot study on workers exposed to unsealed gamma-ray emitting material
T Sumerling 189
A personal dust sampler simulating variable human lung function
R Kucharski 194
Notes and miscellanea
Carboxyhaemoglobin levels in workers in Leicestershire garages
C L Waite 197
Book reviews 198
Notices 200
Information section 201

No 3 *AUGUST 1980*
Angiosarcoma of the liver: annual occurrence and aetiology in Great Britain
P J Baxter, P P Anthony, R N M Macsween, and P J Scheuer 213
Adenocarcinoma of the nose and paranasal sinuses in shoemakers and woodworkers in the province of Florence, Italy (1963-77)
F Cecchi, E Buiatti, D Kriebel, L Nastasi, and M Santucci 222
A 20-year follow-up of men aged 55-64 including coal-miners and foundry workers in Staveley, Derbyshire
A L Cochrane and F Moore 226
A 20-year follow-up of a population sample (aged 25-34) including coal-miners and foundry workers in Staveley, Derbyshire
A L Cochrane and F Moore 230
An investigation of the acute behavioural effects of styrene on factory workers
Nicola Cherry, H A Waldron, G G Wells, R T Wilkinson, H K Wilson, and Sally Jones .. 234
A comparative study on the neurotoxicity of n-pentane, n-hexane, and n-heptane in the rat
Y Takeuchi, Y Ono, N Hisanaga, J Kitoh, and Y Sugiura 241
Occupational type bronchial provocation tests: testing with soluble antigens by inhalation
M G Harries, P S Burge, and I M O'Brien 248
Changes in lung function after exposure to vanadium compounds in fuel oil ash
R E M Lees 253
Radiological findings as predictors of mortality in Quebec asbestos workers
F D K Liddell and J C Mcdonald 257
Effect of smoking on attack rates of pulmonary and pleural lesions related to exposure to asbestos dust
G H G McMillan, R J Pethybridge, and G Sheers 268
Clearance of asbestos bodies from the lung: a personal view
K J Arul and P F Holt 273
Cadium-induced osteomalacia
J D Blainey, R G Adams, D B Brewer, and T C Harvey 278
Application of mathematical modelling for assessing the biological half-times of chromium and nickel in field studies
A Tossavainen, M Nurminen, P Mutanen, and S Tola 285
High affinity of lead for fetal haemoglobin
C N Ong and W R Lee 292
48-hour ambulatory electrocardiography in dynamite worker and controls
C Hogstedt, B Söderholm, and L Bodin 299
Fever induced by fluorine-containing lubricant on stainless steel tubes
B Åkesson, B Högstedt, and S Skerfving 307
Information section 310

Contents

No 4 *NOVEMBER 1980*

Epoxides—is there a human health problem?
Margaret M Manson 317

Deposition, retention, and clearance of inhaled particles
M Lippmann, D B Yeates, and R E Albert 337

Observations on the lungs of vanadium workers
M Kiviluoto 363

Pulmonary disease from occupational exposure to an artificial aluminium silicate used for cat litter
A W Musk, H W Greville, and A E Tribe 367

Retension of vinyl chloride in the human lung
J Krajewski, M Dobecki, and J Gromiec 373

Scanning electron microscopy and *x*-ray microanalysis of mineral deposits in lungs of a patient with pleural mesothelioma
E M Ophus, G Mowé, K K Osen, and B Gylseth 375

Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats
A Sato, T Nakajima, and Y Koyama 382

Influence of chronic carbon disulphide intoxication on the development of experimental atherosclerosis in rats
Teresa Wrońska-Nofer, S Szendzikowski, and Maria Obrebska-Parke 387

Placental and stillbirth tissue lead concentrations in occupationally exposed women
A K Khera, D G Wibberley, and J G Dathan 394

Leptospira hebdomadis associated with an outbreak of illness in workers on a farm in North Yorkshire
S M Crawford and D W Miles 397

Role of family susceptibility, occupational and family histories and individuals' blood groups in the development of silicosis
M H Noweir, M Moselhi, and E Amine 399

Notes and miscellanea

Effects of exposure to slate dust in North Wales
A Jones 405

Book reviews 407

Information section 409